

UHD Pro XF+ Series

INDUSTRY-BEST COLOR FIDELITY, PERFORMANCE, AND ENDURANCE



INFINITECOLOR
TECHNOLOGY



(260) 494-1499
NEOTI.COM

910 W. LANCASTER ST., BLUFFTON, IN 46714
SALES@NEOTI.COM | SERVICE@NEOTI.COM



**THE WORLD'S FIRST
PANTONE™ & PANTONE
SKINTONE™ VALIDATED
DIRECT-VIEW DISPLAY!**

Utilizing the most sophisticated components and advanced processing technologies, the UHD Pro XF+ Series proudly gained the prestigious honor of being the world's first Pantone Validated direct-view display for reproducing authentic color within both the Pantone PMS Color and SkinTone libraries. This validation ensures that direct-view LED display colors are reproduced with the same precision standards demanded in products related to other forms of media, such as prints or textiles.



DISTINCT CONTROL PROTOCOL

The Pro Series Controller (PSC) utilizes an industry-distinct protocol for direct-view LED reproducing authentic color within both Pantone PMS Color and SkinTone libraries. The display panel and control platform are engineered by the same team, resulting in harmonious and seamless integration.

All UHD Pro XF+ sales require Tier 1 installation, which includes client training.



(260) 494-1499
NEOTI.COM

910 W. LANCASTER ST., BLUFFTON, IN 46714
SALES@NEOTI.COM | SERVICE@NEOTI.COM

The UHD Pro XF+ Series' InfiniteColor technology automatically ensures that authentic color and uniformity is reproduced on the display in the exact expectation of the design, for the life of the display.



MAXBIT TECHNOLOGY

Pushing the limits of LED performance, our Maxbit technology can achieve up to 26-bit Color Depth for the most lifelike performance available.



IMMERSIVE 3D PERFORMANCE

Utilizing precise 3D adjustment capabilities, dark time sync, and maximum refresh rates to reduce eye strain, the UHD Pro XF+ series allows for extended viewing without fatigue.



MULTI-IMAGE FRAMESYNC

Expand your XR or video shoot capabilities by syncing multiple cameras to multiple, simultaneous input sources – significantly reducing studio time!



**EXTREMELY LOW LATENCY
UP TO 240HZ**

For on-camera and fast-motion applications, the UHD Pro XF+ series outperforms the competition with lifelike motion performance.



**TAA COMPLIANT WITH
100% PURE LOGIC**

Neoti exceeds traditional TAA compliance, the entire UHD Pro XF+ display system, controllers, and all logic and memory components are engineered with the highest regard to compliance.



**READY TO DISCUSS
YOUR PROJECT?**

Begin quoting your next project using UHD Pro XF+ dvLED the World's First PANTONE Verified Color and SkinTone displays.
sales@neoti.com
(877) 356-3684



UHD PRO XF+ SERIES SERIES SPECIFICATIONS



0.9 – 2.5
Pixel Pitch

16:9
Aspect Ratio

Front
Install & Service

INFINITECOLOR
TECHNOLOGY

	UP09	UP12	UP15	UP18	UP25	
DISPLAY PROPERTIES	Pixel Pitch	0.9 mm	1.25 mm	1.56 mm	1.88 mm	2.5 mm
	Resolution (H/V)	640x360 px	480x270 px	384x216 px	320x180 px	240 x 135 px
	Brightness	800 nits				
	Refresh Rate	≤ 3840 Hz				
	Contrast	5000:1				
	Color Depth	16 bit				
	Diode Type	4-in-1 SMD	SMD			
ENGINEERING	Panel Weight	15 lbs				
	Panel Dimensions (W x H x D)	Metric: 600 x 337.5 x 58mm / Imperial: 23.622 x 13.287 x 2.28 in (WxHxD)				
	Installation & Service	Front				
	Operating Voltage	AC 110 ~ 240V (50 ~ 60Hz)				
	Power (W/panel)	131 / 35 W				
	Environment Rating	IP50				
	Certifications	FCC, TAA Compliant.				

Specifications are accurate at time of printing. Actual specifications may vary due to customizations or updates. Specifications should be confirmed upon ordering



(260) 494-1499
NEOTI.COM

910 W. LANCASTER ST., BLUFFTON, IN 46714
SALES@NEOTI.COM | SERVICE@NEOTI.COM